



Global innovation  
of floor-level shower systems

Poresta<sup>®</sup> BF 70

Ultra-flat compact shower system ever

# Poresta® BF 70

Ultra-flat compact shower system Poresta® BF – with an installation height of minimal 70 mm (DN 50), ideal solution for renovations and refurbishments.

The shower system Poresta® BF 70 is the ideal solution for using a floor-level shower system in the field of renovation. With a total installation height of only 70 mm modern floor-level shower areas can be created in many old-fashioned bathrooms.

A system without any barriers and therefore wheelchair-accessible. Various dimensions can be realised by adding supplementary parts for a maximum size of 1500 x 1500 mm or by cutting it until a minimum size of 900 x 700 mm on-site.


A drainage capacity of 30 l/min. despite the minimal installation height of 70 mm. Creativeness, practical benefits and technical advantages speak for themselves. With the special construction of odour trap, integrated in this system, the Poresta® BF 70 meets the requirements for resistance to pressure fluctuations, even with the minimal installation height of 70 mm.

## Floor-level shower system with minimum installation height

- installation height of 70 mm including gradient and pre-installed horizontal drainage system DN 50
- standard element 1200 x 1200 x 70 mm
- can be shortened on-site to minimum size of 900 x 700 mm

- can be enlarged to maximum size of 1500 x 1500 x 70 mm with supplementary parts
- drainage capacity 30 l/min.
- with general building inspection test certificate P-4053 LGA
- second water sealant chamber preventing desiccation

- optimised sound insulation can be achieved by using sound insulation set (26 dB(A) to DIN 4109 (ground floor back))
- easy cleaning with a pipe cleaning shaft
- wheelchair-accessible
- KMK coating for moderate and high moisture levels



General building inspection test certificate



## Basics

- floor-level
- wheelchair-accessible
- ready for tiling
- heat insulation
- minimal installation height
- easy and safe mounting
- height adjustment with foundation elements

- safe sealing system for wall and floor connections
- easy-to-clean waste trap
- can be combined with four stainless steel design gratings
- can be shortened on all sides
- general building inspection test certificate

## Standard panel 1200 x 1200 x 70 mm (item no.: 20.002.300) consisting of:

- standard stainless steel grating
- removable waste trap insert (no. of spare part: 18.200.351)
- panel size: 1200 x 1200 x 70 mm
- integrated drainage system DN 50 for seeping water
- HT pipe fitting DN 50

## Board with extension elements

- realising a maximum size of 1500 x 1500 x 70 mm by using 4 supplementary parts
- 1 coated rectangular extension element (art. no.: 20.002.310)
- dimensions 1350 x 150 x 70 mm, can be shortened
- mosaic of less than 6 mm can be used after compensating the height difference with spackling compound

- illbruck design gratings can be used
- for natural stone tiles a plastic adaptor for leveling the height of the grating frame is available (art. no.: 18.200.225)

# Reply fax +49 (0) 5621-801-241

---

illbruck Sanitärtechnik GmbH  
– Marketing –  
Illbruckstraße 1  
34537 Bad Wildungen  
Germany

We would like to:

- Receive additional copies of the brochure “Poresta® BF 70”      Quantity: \_\_\_\_\_
- Receive additional copies of the brochure “Floor-level shower systems”      Quantity: \_\_\_\_\_
- Make an appointment with your sales representative      \_\_\_\_\_

Company: \_\_\_\_\_

Contact: \_\_\_\_\_

Street: \_\_\_\_\_

Town/post code: \_\_\_\_\_

Country: \_\_\_\_\_

Phone: \_\_\_\_\_

---

## Partners

---

**Great Britain**  
Bathroom Engineering  
Phone +44 (0)1761-241 133  
Fax +44 (0)1761-241 134  
e-mail: sales@bathroom-engineering.co.uk

**International  
Export Administration**  
Phone +49 (0)5621-801-352  
Fax +49 (0)5621-801-417  
e-mail: diana.winterberg@illbruck-sanitaertechnik.com

**Romania**  
Dipl. Eng. Florin Ghita  
Phone +40 (744) 569.404  
Fax +40 (21) 233.26.68  
e-mail: florin.ghita@alisanstyle.ro



illbruck Sanitärtechnik GmbH  
Illbruckstraße 1  
34537 Bad Wildungen  
Germany  
Phone +49 (0)5621-801-0  
Fax +49 (0)5621-801-417  
info@illbruck-sanitaertechnik.com  
www.illbruck-sanitaertechnik.com